

Site Radon Inspection Report

Date : 2/18/2016

Error for Measurement is: \pm 1.8 pCi/L

Canister ID# : 2396753
Canister Type : Charcoal Canister 3 inch
Location : 301-303
Radon Level : **0.1 pCi/L**
Error for Measurement is: \pm 0.2 pCi/L

Test Start : 01/26/2016 @ 09:36
Test Stop : 01/29/2016 @ 12:04
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 15:55

Canister ID# : 2396756
Canister Type : Charcoal Canister 3 inch
Location : 101
Radon Level : **0.1 pCi/L**
Error for Measurement is: \pm 0.2 pCi/L

Test Start : 01/26/2016 @ 10:06
Test Stop : 01/29/2016 @ 12:19
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 16:10

Canister ID# : 2396763
Canister Type : Charcoal Canister 3 inch
Location : 701
Radon Level : **0.1 pCi/L**
Error for Measurement is: \pm 0.5 pCi/L

Test Start : 01/26/2016 @ 10:09
Test Stop : 01/29/2016 @ 12:21
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 14:17

Canister ID# : 2396768
Canister Type : Charcoal Canister 3 inch
Location : 103
Radon Level : **0.3 pCi/L**
Error for Measurement is: \pm 1.5 pCi/L

Test Start : 01/26/2016 @ 10:03
Test Stop : 01/29/2016 @ 12:18
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 15:39

Canister ID# : 2396769
Canister Type : Charcoal Canister 3 inch
Location : 101-103
Radon Level : **1.2 pCi/L**
Error for Measurement is: \pm 1.7 pCi/L

Test Start : 01/26/2016 @ 10:06
Test Stop : 01/29/2016 @ 12:19
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 14:58

Canister ID# : 2396772
Canister Type : Charcoal Canister 3 inch
Location : 701 Off
Radon Level : **0.2 pCi/L**
Error for Measurement is: \pm 1.2 pCi/L

Test Start : 01/26/2016 @ 10:10
Test Stop : 01/29/2016 @ 12:21
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 16:10

Canister ID# : 2396778
Canister Type : Charcoal Canister 3 inch
Location : 502
Radon Level : **0.4 pCi/L**
Error for Measurement is: \pm 1.4 pCi/L

Test Start : 01/26/2016 @ 09:53
Test Stop : 01/29/2016 @ 12:12
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 16:10



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 2/18/2016

Canister ID# : 2396780
Canister Type : Charcoal Canister 3 inch
Location : 201-203
Radon Level : **0.1 pCi/L**
Error for Measurement is: ± 0.1 pCi/L
Test Start : 01/26/2016 @ 09:55
Test Stop : 01/29/2016 @ 12:13
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 14:33

Canister ID# : 2396782
Canister Type : Charcoal Canister 3 inch
Location : 206
Radon Level : **0.2 pCi/L**
Error for Measurement is: ± 4.1 pCi/L
Test Start : 01/26/2016 @ 09:45
Test Stop : 01/29/2016 @ 12:06
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 16:10

Canister ID# : 2396783
Canister Type : Charcoal Canister 3 inch
Location : 408
Radon Level : **0.1 pCi/L**
Error for Measurement is: ± 0.2 pCi/L
Test Start : 01/26/2016 @ 09:33
Test Stop : 01/29/2016 @ 12:02
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 14:33

Canister ID# : 2396784
Canister Type : Charcoal Canister 3 inch
Location : 203
Radon Level : **0.1 pCi/L**
Error for Measurement is: ± 0.5 pCi/L
Test Start : 01/26/2016 @ 09:54
Test Stop : 01/29/2016 @ 12:11
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 14:33

Canister ID# : 2396786
Canister Type : Charcoal Canister 3 inch
Location : 104
Radon Level : **0.1 pCi/L**
Error for Measurement is: ± 0.4 pCi/L
Test Start : 01/26/2016 @ 09:59
Test Stop : 01/29/2016 @ 12:16
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 15:55

Canister ID# : 2396788
Canister Type : Charcoal Canister 3 inch
Location : 501
Radon Level : **0.1 pCi/L**
Error for Measurement is: ± 0.3 pCi/L
Test Start : 01/26/2016 @ 10:00
Test Stop : 01/29/2016 @ 12:16
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 14:17

Canister ID# : 2396791
Canister Type : Charcoal Canister 3 inch
Location : Centrum
Radon Level : **0.1 pCi/L**
Error for Measurement is: ± 0.5 pCi/L
Test Start : 01/26/2016 @ 09:43
Test Stop : 01/29/2016 @ 12:09
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 15:55

Canister ID# : 2396794
Canister Type : Charcoal Canister 3 inch
Location : 503
Radon Level : **0.1 pCi/L**
Test Start : 01/26/2016 @ 09:37
Test Stop : 01/29/2016 @ 12:05
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 14:33



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 2/18/2016

Error for Measurement is: \pm 0.1 pCi/L

Canister ID# : 2396797
Canister Type : Charcoal Canister 3 inch
Location : 201
Radon Level : **0.8 pCi/L**
Error for Measurement is: \pm 1.7 pCi/L

Test Start : 01/26/2016 @ 09:55
Test Stop : 01/29/2016 @ 12:13
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 15:39

Canister ID# : 2396799
Canister Type : Charcoal Canister 3 inch
Location : 702 Off
Radon Level : **0.6 pCi/L**
Error for Measurement is: \pm 2.2 pCi/L

Test Start : 01/26/2016 @ 10:11
Test Stop : 01/29/2016 @ 12:22
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 15:39

Canister ID# : 2396807
Canister Type : Charcoal Canister 3 inch
Location : 106
Radon Level : **0.1 pCi/L**
Error for Measurement is: \pm 0.2 pCi/L

Test Start : 01/26/2016 @ 09:58
Test Stop : 01/29/2016 @ 12:15
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 15:20

Canister ID# : 2396809
Canister Type : Charcoal Canister 3 inch
Location : 202
Radon Level : **0.6 pCi/L**
Error for Measurement is: \pm 1.9 pCi/L

Test Start : 01/26/2016 @ 09:54
Test Stop : 01/29/2016 @ 12:12
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 15:55

Canister ID# : 2396823
Canister Type : Charcoal Canister 3 inch
Location : 103
Radon Level : **0.3 pCi/L**
Error for Measurement is: \pm 2.6 pCi/L

Test Start : 01/26/2016 @ 10:03
Test Stop : 01/29/2016 @ 12:18
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 15:20

Canister ID# : 2396825
Canister Type : Charcoal Canister 3 inch
Location : 504
Radon Level : **0.5 pCi/L**
Error for Measurement is: \pm 1.8 pCi/L

Test Start : 01/26/2016 @ 09:51
Test Stop : 01/29/2016 @ 12:08
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 15:39

Canister ID# : 2396830
Canister Type : Charcoal Canister 3 inch
Location : 406
Radon Level : **0.1 pCi/L**
Error for Measurement is: \pm 0.5 pCi/L

Test Start : 01/26/2016 @ 09:43
Test Stop : 01/29/2016 @ 12:10
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 15:20



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 2/18/2016

Canister ID# : 2396831 Test Start : 01/26/2016 @ 08:55
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 11:37
Location : Main Off Received: 02/10/2016 @ 14:16
Radon Level : **0.1 pCi/L** Analyzed: 02/12/2016 @ 14:58
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2396834 Test Start : 01/26/2016 @ 08:55
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 11:37
Location : Rm #1 Off Received: 02/10/2016 @ 14:16
Radon Level : **0.1 pCi/L** Analyzed: 02/12/2016 @ 14:58
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2396840 Test Start : 01/26/2016 @ 09:50
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 12:07
Location : 205 Received: 02/10/2016 @ 14:17
Radon Level : **0.1 pCi/L** Analyzed: 02/12/2016 @ 14:58
Error for Measurement is: ± 0.9 pCi/L

Canister ID# : 2396844 Test Start : 01/26/2016 @ 10:00
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 12:16
Location : 104-106 Received: 02/10/2016 @ 14:17
Radon Level : **0.4 pCi/L** Analyzed: 02/12/2016 @ 15:39
Error for Measurement is: ± 2.0 pCi/L

Canister ID# : 2396846 Test Start : 01/26/2016 @ 10:11
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 12:22
Location : BL Received: 02/10/2016 @ 14:17
Radon Level : **0.1 pCi/L** Analyzed: 02/12/2016 @ 14:33
Error for Measurement is: ± 0.3 pCi/L

Canister ID# : 2396856 Test Start : 01/26/2016 @ 10:11
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 12:22
Location : 702 Received: 02/10/2016 @ 14:17
Radon Level : **0.1 pCi/L** Analyzed: 02/12/2016 @ 15:39
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2396861 Test Start : 01/26/2016 @ 09:50
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 12:07
Location : 204-206 Received: 02/10/2016 @ 14:17
Radon Level : **0.1 pCi/L** Analyzed: 02/12/2016 @ 15:55
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2396864 Test Start : 01/26/2016 @ 08:56
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 11:38
Location : Prin Off Received: 02/10/2016 @ 14:16
Radon Level : **0.2 pCi/L** Analyzed: 02/12/2016 @ 15:55



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 2/18/2016

Error for Measurement is: ± 1.6 pCi/L

Canister ID# : 2396865
Canister Type : Charcoal Canister 3 inch
Location : 404
Radon Level : **0.4 pCi/L**
Error for Measurement is: ± 1.3 pCi/L

Test Start : 01/26/2016 @ 10:02
Test Stop : 01/29/2016 @ 12:17
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 14:58

Canister ID# : 2396867
Canister Type : Charcoal Canister 3 inch
Location : 302
Radon Level : **0.1 pCi/L**
Error for Measurement is: ± 0.4 pCi/L

Test Start : 01/26/2016 @ 09:36
Test Stop : 01/29/2016 @ 12:03
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 14:33

Canister ID# : 2396872
Canister Type : Charcoal Canister 3 inch
Location : 302
Radon Level : **0.1 pCi/L**
Error for Measurement is: ± 0.3 pCi/L

Test Start : 01/26/2016 @ 09:35
Test Stop : 01/29/2016 @ 12:03
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 16:10

Canister ID# : 2396885
Canister Type : Charcoal Canister 3 inch
Location : 807
Radon Level : **2.0 pCi/L**
Error for Measurement is: ± 1.6 pCi/L

Test Start : 01/26/2016 @ 09:02
Test Stop : 01/29/2016 @ 11:42
Received: 02/10/2016 @ 14:16
Analyzed: 02/12/2016 @ 15:39

Canister ID# : 2396886
Canister Type : Charcoal Canister 3 inch
Location : 804
Radon Level : **0.1 pCi/L**
Error for Measurement is: ± 0.1 pCi/L

Test Start : 01/26/2016 @ 08:56
Test Stop : 01/29/2016 @ 11:39
Received: 02/10/2016 @ 14:16
Analyzed: 02/12/2016 @ 15:20

Canister ID# : 2396889
Canister Type : Charcoal Canister 3 inch
Location : 301
Radon Level : **0.1 pCi/L**
Error for Measurement is: ± 0.8 pCi/L

Test Start : 01/26/2016 @ 09:36
Test Stop : 01/29/2016 @ 12:04
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 16:10

Canister ID# : 2396900
Canister Type : Charcoal Canister 3 inch
Location : 707
Radon Level : **0.1 pCi/L**
Error for Measurement is: ± 0.4 pCi/L

Test Start : 01/26/2016 @ 09:24
Test Stop : 01/29/2016 @ 11:57
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 16:10



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 2/18/2016

Canister ID# : 2396901 Test Start : 01/26/2016 @ 09:25
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 11:58
Location : 708 Received: 02/10/2016 @ 14:17
Radon Level : **0.1 pCi/L** Analyzed: 02/12/2016 @ 15:20
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2396902 Test Start : 01/26/2016 @ 09:50
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 12:07
Location : 204 Received: 02/10/2016 @ 14:17
Radon Level : **1.5 pCi/L** Analyzed: 02/12/2016 @ 16:10
Error for Measurement is: ± 1.6 pCi/L

Canister ID# : 2396906 Test Start : 01/26/2016 @ 09:05
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 11:43
Location : Cust Off Received: 02/10/2016 @ 14:16
Radon Level : **0.1 pCi/L** Analyzed: 02/12/2016 @ 15:39
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2396912 Test Start : 01/26/2016 @ 10:03
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 12:19
Location : 402 Received: 02/10/2016 @ 14:17
Radon Level : **0.1 pCi/L** Analyzed: 02/12/2016 @ 14:58
Error for Measurement is: ± 0.1 pCi/L

Canister ID# : 2396915 Test Start : 01/26/2016 @ 09:24
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 11:57
Location : 706 Received: 02/10/2016 @ 14:17
Radon Level : **0.1 pCi/L** Analyzed: 02/12/2016 @ 15:20
Error for Measurement is: ± 0.1 pCi/L

Canister ID# : 2396920 Test Start : 01/26/2016 @ 09:02
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 11:41
Location : 807 Received: 02/10/2016 @ 14:16
Radon Level : **0.1 pCi/L** Analyzed: 02/12/2016 @ 15:55
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2396923 Test Start : 01/26/2016 @ 09:00
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 11:40
Location : 805 Fac Din Received: 02/10/2016 @ 14:16
Radon Level : **0.1 pCi/L** Analyzed: 02/12/2016 @ 15:20
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2396924 Test Start : 01/26/2016 @ 09:37
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 12:05
Location : 505 Received: 02/10/2016 @ 14:17
Radon Level : **0.1 pCi/L** Analyzed: 02/12/2016 @ 15:55



Andreas C. George

Dante Galan

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 2/18/2016

Error for Measurement is: \pm 0.3 pCi/L

Canister ID# : 2396927
Canister Type : Charcoal Canister 3 inch
Location : 807 Store Rm
Radon Level : **0.3 pCi/L**
Error for Measurement is: \pm 1.5 pCi/L

Test Start : 01/26/2016 @ 09:03
Test Stop : 01/29/2016 @ 11:42
Received: 02/10/2016 @ 14:16
Analyzed: 02/12/2016 @ 14:58

Canister ID# : 2396934
Canister Type : Charcoal Canister 3 inch
Location : 305
Radon Level : **0.8 pCi/L**
Error for Measurement is: \pm 2.0 pCi/L

Test Start : 01/26/2016 @ 09:32
Test Stop : 01/29/2016 @ 12:00
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 15:39

Canister ID# : 2396937
Canister Type : Charcoal Canister 3 inch
Location : 407
Radon Level : **0.1 pCi/L**
Error for Measurement is: \pm 0.7 pCi/L

Test Start : 01/26/2016 @ 09:39
Test Stop : 01/29/2016 @ 12:11
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 14:58

Canister ID# : 2396940
Canister Type : Charcoal Canister 3 inch
Location : 303
Radon Level : **0.1 pCi/L**
Error for Measurement is: \pm 0.4 pCi/L

Test Start : 01/26/2016 @ 09:35
Test Stop : 01/29/2016 @ 12:03
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 14:58

Canister ID# : 2396949
Canister Type : Charcoal Canister 3 inch
Location : 304
Radon Level : **0.1 pCi/L**
Error for Measurement is: \pm 0.5 pCi/L

Test Start : 01/26/2016 @ 09:33
Test Stop : 01/29/2016 @ 12:01
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 15:55

Canister ID# : 2396961
Canister Type : Charcoal Canister 3 inch
Location : Copy Rm
Radon Level : **0.8 pCi/L**
Error for Measurement is: \pm 1.8 pCi/L

Test Start : 01/26/2016 @ 09:39
Test Stop : 01/29/2016 @ 12:06
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 14:58

Canister ID# : 2396969
Canister Type : Charcoal Canister 3 inch
Location : 408 Store Rm
Radon Level : **0.1 pCi/L**
Error for Measurement is: \pm 0.1 pCi/L

Test Start : 01/26/2016 @ 09:34
Test Stop : 01/29/2016 @ 12:02
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 14:33



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 2/18/2016

Canister ID# : 2396970 Test Start : 01/26/2016 @ 09:43
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 12:10
Location : 405 Received: 02/10/2016 @ 14:17
Radon Level : **0.1 pCi/L** Analyzed: 02/12/2016 @ 15:55
Error for Measurement is: ± 0.6 pCi/L

Canister ID# : 2396972 Test Start : 01/26/2016 @ 09:23
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 11:55
Location : 705A Received: 02/10/2016 @ 14:17
Radon Level : **0.1 pCi/L** Analyzed: 02/12/2016 @ 14:58
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2398333 Test Start : 01/26/2016 @ 09:12
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 11:47
Location : Boys Locker Rm Received: 02/10/2016 @ 14:16
Radon Level : **1.8 pCi/L** Analyzed: 02/12/2016 @ 16:10
Radon concentration is estimated due to missing start time.

Error for Measurement is: ± 1.8 pCi/L

Canister ID# : 2398343 Test Start : 01/26/2016 @ 09:22
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 11:55
Location : 704 Received: 02/10/2016 @ 14:17
Radon Level : **1.8 pCi/L** Analyzed: 02/12/2016 @ 14:58
Error for Measurement is: ± 1.7 pCi/L

Canister ID# : 2398375 Test Start : 01/26/2016 @ 09:00
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 11:40
Location : Nurses Received: 02/10/2016 @ 14:16
Radon Level : **0.1 pCi/L** Analyzed: 02/12/2016 @ 14:58
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2398387 Test Start : 01/26/2016 @ 09:32
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 12:00
Location : 306 Received: 02/10/2016 @ 14:17
Radon Level : **0.2 pCi/L** Analyzed: 02/12/2016 @ 14:17
Error for Measurement is: ± 1.2 pCi/L

Canister ID# : 2398397 Test Start : 01/26/2016 @ 09:19
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 11:52
Location : Phys Off Received: 02/10/2016 @ 14:17
Radon Level : **0.3 pCi/L** Analyzed: 02/12/2016 @ 15:39
Error for Measurement is: ± 1.6 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 2/18/2016

Canister ID# : 2398402
Canister Type : Charcoal Canister 3 inch
Location : Store
Radon Level : **0.1 pCi/L**
Error for Measurement is: \pm 0.3 pCi/L
Test Start : 01/26/2016 @ 09:12
Test Stop : 01/29/2016 @ 11:46
Received: 02/10/2016 @ 14:16
Analyzed: 02/12/2016 @ 14:33

Canister ID# : 2398404
Canister Type : Charcoal Canister 3 inch
Location : 705B
Radon Level : **1.3 pCi/L**
Error for Measurement is: \pm 1.9 pCi/L
Test Start : 01/26/2016 @ 09:23
Test Stop : 01/29/2016 @ 11:55
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 15:55

Canister ID# : 2398410
Canister Type : Charcoal Canister 3 inch
Location : Cafe
Radon Level : **0.1 pCi/L**
Error for Measurement is: \pm 0.2 pCi/L
Test Start : 01/26/2016 @ 09:10
Test Stop : 01/29/2016 @ 11:44
Received: 02/10/2016 @ 14:16
Analyzed: 02/12/2016 @ 15:55

Canister ID# : 2398418
Canister Type : Charcoal Canister 3 inch
Location : 709
Radon Level : **0.3 pCi/L**
Error for Measurement is: \pm 1.6 pCi/L
Test Start : 01/26/2016 @ 09:25
Test Stop : 01/29/2016 @ 11:59
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 15:55

Canister ID# : 2398421
Canister Type : Charcoal Canister 3 inch
Location : 707
Radon Level : **2.6 pCi/L**
Error for Measurement is: \pm 1.7 pCi/L
Test Start : 01/26/2016 @ 09:25
Test Stop : 01/29/2016 @ 11:58
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 16:30

Canister ID# : 2398425
Canister Type : Charcoal Canister 3 inch
Location : 811
Radon Level : **0.1 pCi/L**
Error for Measurement is: \pm 0.7 pCi/L
Test Start : 01/26/2016 @ 09:10
Test Stop : 01/29/2016 @ 11:44
Received: 02/10/2016 @ 14:16
Analyzed: 02/12/2016 @ 16:10

Canister ID# : 2398466
Canister Type : Charcoal Canister 3 inch
Location : Girls Locker Rm
Radon Level : **0.1 pCi/L**
Error for Measurement is: \pm 0.4 pCi/L
Test Start : 01/26/2016 @ 09:19
Test Stop : 01/29/2016 @ 11:52
Received: 02/10/2016 @ 14:17
Analyzed: 02/12/2016 @ 16:10

Canister ID# : 2398470
Canister Type : Charcoal Canister 3 inch
Location : Boys Locker Rm
Radon Level : **1.4 pCi/L**
Test Start : 01/26/2016 @ 09:12
Test Stop : 01/29/2016 @ 11:47
Received: 02/10/2016 @ 14:16
Analyzed: 02/12/2016 @ 15:55



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 2/18/2016

Radon concentration is estimated due to missing start time.

Error for Measurement is: \pm 2.0 pCi/L

Canister ID# : 2398474 Test Start : 01/26/2016 @ 09:01
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 11:41
Location : 806 Received: 02/10/2016 @ 14:16
Radon Level : **0.1 pCi/L** Analyzed: 02/12/2016 @ 16:10
Error for Measurement is: \pm 0.2 pCi/L

Canister ID# : 2401506 Test Start : 01/26/2016 @ 08:56
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 11:38
Location : Conf Off Received: 02/10/2016 @ 14:16
Radon Level : **0.1 pCi/L** Analyzed: 02/12/2016 @ 14:58
Error for Measurement is: \pm 0.7 pCi/L

Canister ID# : 2401513 Test Start : 01/26/2016 @ 09:11
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 11:45
Location : Stage Received: 02/10/2016 @ 14:16
Radon Level : **0.1 pCi/L** Analyzed: 02/12/2016 @ 15:39
Error for Measurement is: \pm 0.1 pCi/L

Canister ID# : 2401517 Test Start : 01/26/2016 @ 09:12
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 11:45
Location : 604 Received: 02/10/2016 @ 14:16
Radon Level : **1.3 pCi/L** Analyzed: 02/12/2016 @ 16:10
Error for Measurement is: \pm 1.7 pCi/L

Canister ID# : 2402411 Test Start : 01/26/2016 @ 09:58
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 12:14
Location : 200 Received: 02/10/2016 @ 14:17
Radon Level : **1.0 pCi/L** Analyzed: 02/12/2016 @ 16:10
Error for Measurement is: \pm 1.6 pCi/L

Canister ID# : 2402413 Test Start : 01/26/2016 @ 09:52
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 12:11
Location : Library Received: 02/10/2016 @ 14:17
Radon Level : **0.1 pCi/L** Analyzed: 02/12/2016 @ 14:58
Error for Measurement is: \pm 0.9 pCi/L

Canister ID# : 2404108 Test Start : 01/26/2016 @ 10:11
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 12:22
Location : BL Received: 02/10/2016 @ 14:17
Radon Level : **0.1 pCi/L** Analyzed: 02/12/2016 @ 14:17
Error for Measurement is: \pm 2.5 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 2/18/2016

Canister ID# : 2404118 Test Start : 01/26/2016 @ 10:02
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 12:17
Location : 403 Received: 02/10/2016 @ 14:17
Radon Level : **0.9 pCi/L** Analyzed: 02/12/2016 @ 14:33
Error for Measurement is: ± 1.6 pCi/L

Canister ID# : 2404209 Test Start : 01/26/2016 @ 10:11
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 12:22
Location : BL Received: 02/10/2016 @ 14:17
Radon Level : **1.0 pCi/L** Analyzed: 02/12/2016 @ 15:39
Error for Measurement is: ± 1.6 pCi/L

Canister ID# : 2404229 Test Start : 01/26/2016 @ 09:15
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 11:51
Location : Gym Received: 02/10/2016 @ 14:16
Radon Level : **1.3 pCi/L** Analyzed: 02/12/2016 @ 15:55
Error for Measurement is: ± 1.7 pCi/L

Canister ID# : 2404235 Test Start : 01/26/2016 @ 09:15
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 11:51
Location : Boys Locker Rm Received: 02/10/2016 @ 14:17
Radon Level : **1.5 pCi/L** Analyzed: 02/12/2016 @ 14:17
Error for Measurement is: ± 1.9 pCi/L

Canister ID# : 2404241 Test Start : 01/26/2016 @ 09:33
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 12:01
Location : 304-306 Received: 02/10/2016 @ 14:17
Radon Level : **1.2 pCi/L** Analyzed: 02/12/2016 @ 15:39
Error for Measurement is: ± 1.6 pCi/L

Canister ID# : 2404272 Test Start : 01/26/2016 @ 09:20
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 11:53
Location : Rist Received: 02/10/2016 @ 14:17
Radon Level : **1.7 pCi/L** Analyzed: 02/12/2016 @ 15:20
Error for Measurement is: ± 1.9 pCi/L

Canister ID# : 2404280 Test Start : 01/26/2016 @ 10:11
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 12:22
Location : BL Received: 02/10/2016 @ 14:17
Radon Level : **0.1 pCi/L** Analyzed: 02/12/2016 @ 16:10
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2404290 Test Start : 01/26/2016 @ 09:10
Canister Type : Charcoal Canister 3 inch Test Stop : 01/29/2016 @ 11:44
Location : Cafe Received: 02/10/2016 @ 14:16
Radon Level : **0.1 pCi/L** Analyzed: 02/12/2016 @ 15:55



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 2/18/2016

Error for Measurement is: \pm 0.1 pCi/L

The results indicate that at least one testing device registered at or above the United States Environmental Protection Agency (EPA) action level of 4.0 picoCuries per liter of air (pCi/L). The EPA recommends mitigation if the average of two short-term tests taken in the lowest level of the building suitable for occupancy show radon levels that are equal to or greater than 4.0 pCi/L.

For information on how to reduce radon levels in your home, please review the EPA booklet: Consumer's Guide to Radon Reduction (www.epa.gov/radon/pdfs/consguid.pdf) and contact your state health department. The EPA maintains a radon information website, including copies of its publications, at www.epa.gov/iaq/radon.

For New Jersey clients: Please see the attached guidance document entitled Radon Testing and Mitigation: The Basics for further information.

For New York clients: If the radon level of one or more testing devices is equal to or exceeds 20 pCi/L please contact the New York State Department of Health, Bureau of Environmental Radiation Protection, for technical advice and assistance at 518-402-7556 or toll free 1-800-458-1158.

PLEDGE OF ASSURED QUALITY

All procedures used for generating this report are in complete accordance with the current EPA protocols for the analysis of radon in air (EPA 402-R-92-004). The analytical results relate only to the samples tested, in the condition received by the lab, and that calculations were based upon the information supplied by client. RTCA and its personnel do not assume responsibility or liability, collectively and individually, for analysis results when detectors have been improperly handled or placed by the consumer, nor does RTCA and its personnel accept responsibility for any financial or health consequences of subsequent action or lack of action, taken by the customer or its consultants based on RTCA-provided results.

*Andreas C. George*

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 2/18/2016



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201