

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2349375 Test Start : 02/23/2016 @ 14:39
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 15:08
Location : 2nd Fl W205 Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 12:06
Error for Measurement is: \pm 0.3 pCi/L

Canister ID# : 2349402 Test Start : 02/23/2016 @ 14:36
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 15:06
Location : 2nd Fl W213 Received: 03/03/2016 @ 09:35
Radon Level : 0.8 pCi/L Analyzed: 03/04/2016 @ 12:55
Error for Measurement is: \pm 0.6 pCi/L

Canister ID# : 2349472 Test Start : 02/23/2016 @ 14:39
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 15:08
Location : Blank Received: 03/03/2016 @ 09:35
Radon Level : 0.2 pCi/L Analyzed: 03/03/2016 @ 17:34
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2349589 Test Start : 02/23/2016 @ 14:39
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 15:08
Location : Blank Received: 03/03/2016 @ 09:36
Radon Level : 0.1 pCi/L Analyzed: 03/03/2016 @ 17:34
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2349608 Test Start : 02/23/2016 @ 14:33
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 15:04
Location : 2nd Fl W221 Received: 03/03/2016 @ 09:35
Radon Level : 0.2 pCi/L Analyzed: 03/04/2016 @ 12:40
Error for Measurement is: \pm 0.8 pCi/L

Canister ID# : 2360408 Test Start : 02/23/2016 @ 10:19
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:16
Location : NW4 Received: 03/03/2016 @ 09:34
Radon Level : 0.5 pCi/L Analyzed: 03/04/2016 @ 14:30
Error for Measurement is: \pm 0.6 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2360417 Test Start : 02/23/2016 @ 10:32
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:23
Location : W13 Received: 03/03/2016 @ 09:34
Radon Level : 0.4 pCi/L Analyzed: 03/04/2016 @ 13:49
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2360422 Test Start : 02/23/2016 @ 10:30
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:22
Location : Goal Prin Off. Received: 03/03/2016 @ 09:34
Radon Level : 0.6 pCi/L Analyzed: 03/04/2016 @ 11:01
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2362124 Test Start : 02/23/2016 @ 10:19
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:15
Location : NW2 Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 11:01
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2366155 Test Start : 02/23/2016 @ 14:34
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 15:05
Location : 2nd FI W222 Received: 03/03/2016 @ 09:35
Radon Level : 1.0 pCi/L Analyzed: 03/04/2016 @ 12:55
Error for Measurement is: \pm 0.6 pCi/L

Canister ID# : 2366163 Test Start : 02/23/2016 @ 14:39
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 15:08
Location : Received: 03/03/2016 @ 09:36
Radon Level : 0.4 pCi/L Analyzed: 03/03/2016 @ 17:34
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2366170 Test Start : 02/23/2016 @ 14:17
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:50
Location : 2nd FI E212 Received: 03/03/2016 @ 09:35
Radon Level : 0.5 pCi/L Analyzed: 03/04/2016 @ 11:50
Error for Measurement is: \pm 0.5 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2366275 Test Start : 02/23/2016 @ 10:04
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:04
Location : Stage Received: 03/03/2016 @ 09:34
Radon Level : 0.8 pCi/L Analyzed: 03/04/2016 @ 11:32
Error for Measurement is: \pm 0.6 pCi/L

Canister ID# : 2367250 Test Start : 02/23/2016 @ 10:34
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:24
Location : 15-16 Store Rm Received: 03/03/2016 @ 09:34
Radon Level : 0.6 pCi/L Analyzed: 03/04/2016 @ 14:48
Error for Measurement is: \pm 0.6 pCi/L

Canister ID# : 2367258 Test Start : 02/23/2016 @ 10:12
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:08
Location : W2 Back Received: 03/03/2016 @ 09:34
Radon Level : 0.5 pCi/L Analyzed: 03/04/2016 @ 12:23
Error for Measurement is: \pm 0.6 pCi/L

Canister ID# : 2367572 Test Start : 02/23/2016 @ 13:08
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:56
Location : Athletic Store Rm Received: 03/03/2016 @ 09:35
Radon Level : 0.6 pCi/L Analyzed: 03/04/2016 @ 14:11
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2374318 Test Start : 02/23/2016 @ 10:14
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:10
Location : W5 Back Rm Received: 03/03/2016 @ 09:34
Radon Level : 0.7 pCi/L Analyzed: 03/04/2016 @ 12:41
Error for Measurement is: \pm 0.6 pCi/L

Canister ID# : 2396303 Test Start : 02/23/2016 @ 10:07
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:06
Location : N1 Received: 03/03/2016 @ 09:34
Radon Level : 0.2 pCi/L Analyzed: 03/04/2016 @ 11:32
Error for Measurement is: \pm 0.5 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2396315 Test Start : 02/23/2016 @ 10:19
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:16
Location : NW4 Office Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 12:06
Error for Measurement is: \pm 2.6 pCi/L

Canister ID# : 2396324 Test Start : 02/23/2016 @ 10:22
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:19
Location : NW3 Received: 03/03/2016 @ 09:34
Radon Level : 0.3 pCi/L Analyzed: 03/04/2016 @ 11:17
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2396373 Test Start : 02/23/2016 @ 10:33
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:24
Location : W15 Received: 03/03/2016 @ 09:34
Radon Level : 0.4 pCi/L Analyzed: 03/04/2016 @ 12:24
Error for Measurement is: \pm 0.6 pCi/L

Canister ID# : 2398332 Test Start : 02/23/2016 @ 12:45
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:43
Location : E17 by Store Rm Received: 03/03/2016 @ 09:35
Radon Level : 0.2 pCi/L Analyzed: 03/04/2016 @ 14:48
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2398335 Test Start : 02/23/2016 @ 11:30
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:50
Location : Library Received: 03/03/2016 @ 09:35
Radon Level : 1.0 pCi/L Analyzed: 03/04/2016 @ 14:30
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2398338 Test Start : 02/23/2016 @ 11:28
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:49
Location : File Rm Off Libr Received: 03/03/2016 @ 09:35
Radon Level : 0.7 pCi/L Analyzed: 03/04/2016 @ 14:11
Error for Measurement is: \pm 0.5 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2398339 Test Start : 02/23/2016 @ 13:06
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:54
Location : E29 Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 13:49
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2398341 Test Start : 02/23/2016 @ 13:08
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:56
Location : Jaws Office Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 12:55
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2398342 Test Start : 02/23/2016 @ 12:38
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:39
Location : E6 Office Received: 03/03/2016 @ 09:35
Radon Level : 0.5 pCi/L Analyzed: 03/04/2016 @ 14:30
Error for Measurement is: ± 0.6 pCi/L

Canister ID# : 2398344 Test Start : 02/23/2016 @ 14:04
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:46
Location : Hearing Test Rm Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 11:51
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2398345 Test Start : 02/23/2016 @ 13:22
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:01
Location : E34 Office Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 14:11
Error for Measurement is: ± 0.3 pCi/L

Canister ID# : 2398346 Test Start : 02/23/2016 @ 11:25
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:47
Location : Conf Off Library Received: 03/03/2016 @ 09:34
Radon Level : 0.4 pCi/L Analyzed: 03/04/2016 @ 12:40
Error for Measurement is: ± 0.5 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2398348 Test Start : 02/23/2016 @ 13:06
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:54
Location : E31 Received: 03/03/2016 @ 09:35
Radon Level : 0.4 pCi/L Analyzed: 03/04/2016 @ 13:49
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2398349 Test Start : 02/23/2016 @ 13:07
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:55
Location : Ath Off Store Rm Received: 03/03/2016 @ 09:35
Radon Level : 0.6 pCi/L Analyzed: 03/04/2016 @ 14:11
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2398350 Test Start : 02/23/2016 @ 13:57
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:06
Location : Recvng Break Rm Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 12:06
Error for Measurement is: \pm 0.7 pCi/L

Canister ID# : 2398352 Test Start : 02/23/2016 @ 12:34
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:37
Location : Computer Tech Received: 03/03/2016 @ 09:35
Radon Level : 0.2 pCi/L Analyzed: 03/04/2016 @ 13:49
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2398353 Test Start : 02/23/2016 @ 11:29
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:50
Location : Glass Area Libr Received: 03/03/2016 @ 09:35
Radon Level : 0.2 pCi/L Analyzed: 03/04/2016 @ 11:32
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2398355 Test Start : 02/23/2016 @ 12:41
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:41
Location : E10 Store Back Received: 03/03/2016 @ 09:35
Radon Level : 0.6 pCi/L Analyzed: 03/04/2016 @ 13:49
Error for Measurement is: \pm 0.5 pCi/L



Andreas C. George

Dante Galan

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2398356 Test Start : 02/23/2016 @ 13:58
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:07
Location : S10 Back Received: 03/03/2016 @ 09:35
Radon Level : 0.2 pCi/L Analyzed: 03/04/2016 @ 11:32
Error for Measurement is: ± 0.5 pCi/L

Canister ID# : 2398357 Test Start : 02/23/2016 @ 12:42
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:41
Location : E10 Store Front Received: 03/03/2016 @ 09:35
Radon Level : 0.6 pCi/L Analyzed: 03/04/2016 @ 11:32
Error for Measurement is: ± 0.5 pCi/L

Canister ID# : 2398364 Test Start : 02/23/2016 @ 14:02
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:41
Location : Girls Gym Office Received: 03/03/2016 @ 09:35
Radon Level : 0.2 pCi/L Analyzed: 03/04/2016 @ 13:12
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2398365 Test Start : 02/23/2016 @ 13:21
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:00
Location : E33 Front Rm Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 14:11
Error for Measurement is: ± 1.1 pCi/L

Canister ID# : 2398366 Test Start : 02/23/2016 @ 13:18
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:57
Location : Watkins Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 12:40
Error for Measurement is: ± 0.3 pCi/L

Canister ID# : 2398367 Test Start : 02/23/2016 @ 13:46
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:05
Location : S13 Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 13:12
Error for Measurement is: ± 0.1 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2398368 Test Start : 02/23/2016 @ 11:22
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:45
Location : AVTV Control Rm Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 13:33
Error for Measurement is: ± 0.7 pCi/L

Canister ID# : 2398369 Test Start : 02/23/2016 @ 12:55
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:47
Location : E23 Store Front Received: 03/03/2016 @ 09:35
Radon Level : 0.2 pCi/L Analyzed: 03/04/2016 @ 14:30
Error for Measurement is: ± 0.8 pCi/L

Canister ID# : 2398370 Test Start : 02/23/2016 @ 13:00
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:53
Location : E30 Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 13:33
Error for Measurement is: ± 0.5 pCi/L

Canister ID# : 2398371 Test Start : 02/23/2016 @ 14:00
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:40
Location : Gym Received: 03/03/2016 @ 09:35
Radon Level : 0.2 pCi/L Analyzed: 03/04/2016 @ 13:33
Error for Measurement is: ± 0.5 pCi/L

Canister ID# : 2398372 Test Start : 02/23/2016 @ 11:30
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:50
Location : Library Office Received: 03/03/2016 @ 09:35
Radon Level : 0.3 pCi/L Analyzed: 03/04/2016 @ 14:47
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2398373 Test Start : 02/23/2016 @ 12:49
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:46
Location : E21 Received: 03/03/2016 @ 09:35
Radon Level : 0.2 pCi/L Analyzed: 03/04/2016 @ 12:40
Error for Measurement is: ± 0.4 pCi/L



Andreas C. George

Dante Galan

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2398374 Test Start : 02/23/2016 @ 12:49
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:46
Location : 19-21 Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 13:49
Error for Measurement is: ± 0.7 pCi/L

Canister ID# : 2398376 Test Start : 02/23/2016 @ 12:35
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:38
Location : E4 Received: 03/03/2016 @ 09:35
Radon Level : 0.2 pCi/L Analyzed: 03/04/2016 @ 14:30
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2398378 Test Start : 02/23/2016 @ 13:23
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:02
Location : E36 Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 14:11
Error for Measurement is: ± 0.8 pCi/L

Canister ID# : 2398380 Test Start : 02/23/2016 @ 11:24
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:47
Location : TV Prod Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 12:40
Error for Measurement is: ± 0.7 pCi/L

Canister ID# : 2398381 Test Start : 02/23/2016 @ 13:31
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:05
Location : Cafeteria Received: 03/03/2016 @ 09:35
Radon Level : 0.7 pCi/L Analyzed: 03/04/2016 @ 14:48
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2398382 Test Start : 02/23/2016 @ 12:59
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:52
Location : E27 Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 14:48
Error for Measurement is: ± 0.2 pCi/L



Andreas C. George

Dante Galan

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2398383 Test Start : 02/23/2016 @ 13:59
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:39
Location : Boys Locker Off Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 13:33
Error for Measurement is: \pm 0.2 pCi/L

Canister ID# : 2398384 Test Start : 02/23/2016 @ 13:07
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:55
Location : Tyron Office Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 13:49
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2398385 Test Start : 02/23/2016 @ 12:37
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:39
Location : E6 Received: 03/03/2016 @ 09:35
Radon Level : 0.2 pCi/L Analyzed: 03/04/2016 @ 14:30
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2398386 Test Start : 02/23/2016 @ 12:39
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:40
Location : E10 Received: 03/03/2016 @ 09:35
Radon Level : 0.4 pCi/L Analyzed: 03/04/2016 @ 13:49
Error for Measurement is: \pm 0.6 pCi/L

Canister ID# : 2398388 Test Start : 02/23/2016 @ 11:23
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:46
Location : AVTV Office Received: 03/03/2016 @ 09:34
Radon Level : 0.7 pCi/L Analyzed: 03/04/2016 @ 11:32
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2398389 Test Start : 02/23/2016 @ 13:00
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:53
Location : E30 Received: 03/03/2016 @ 09:35
Radon Level : 0.2 pCi/L Analyzed: 03/04/2016 @ 13:12
Error for Measurement is: \pm 0.6 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2398390 Test Start : 02/23/2016 @ 13:19
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:58
Location : Boces Speech Received: 03/03/2016 @ 09:35
Radon Level : 0.2 pCi/L Analyzed: 03/04/2016 @ 11:51
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2398391 Test Start : 02/23/2016 @ 14:07
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:47
Location : Bandand Rm Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 12:40
Error for Measurement is: \pm 0.6 pCi/L

Canister ID# : 2398403 Test Start : 02/23/2016 @ 14:06
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:46
Location : Brinka Office Received: 03/03/2016 @ 09:35
Radon Level : 0.2 pCi/L Analyzed: 03/04/2016 @ 12:06
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2398422 Test Start : 02/23/2016 @ 10:57
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:36
Location : W-26 Received: 03/03/2016 @ 09:34
Radon Level : 0.4 pCi/L Analyzed: 03/04/2016 @ 14:48
Error for Measurement is: \pm 0.6 pCi/L

Canister ID# : 2398463 Test Start : 02/23/2016 @ 12:55
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:48
Location : E23 Store Back Received: 03/03/2016 @ 09:35
Radon Level : 0.4 pCi/L Analyzed: 03/04/2016 @ 11:50
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2398471 Test Start : 02/23/2016 @ 11:28
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:49
Location : File Rm Off Libr Received: 03/03/2016 @ 09:35
Radon Level : 0.4 pCi/L Analyzed: 03/04/2016 @ 13:33
Error for Measurement is: \pm 0.4 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2398473 Test Start : 02/23/2016 @ 12:58
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:51
Location : E28 Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 13:49
Error for Measurement is: \pm 1.3 pCi/L

Canister ID# : 2398487 Test Start : 02/23/2016 @ 10:35
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:26
Location : W-17 Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 14:48
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2398728 Test Start : 02/23/2016 @ 10:44
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:30
Location : SW3 Received: 03/03/2016 @ 09:34
Radon Level : 0.5 pCi/L Analyzed: 03/04/2016 @ 13:12
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2398825 Test Start : 02/23/2016 @ 11:05
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:42
Location : Counseling Ctr Rm1 Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 12:24
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2398828 Test Start : 02/23/2016 @ 14:07
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:47
Location : Alt. Mix By Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 11:17
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2398836 Test Start : 02/23/2016 @ 10:45
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:31
Location : SW4 Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 13:12
Error for Measurement is: \pm 0.5 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2398837 Test Start : 02/23/2016 @ 11:06
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:42
Location : Counseling Ctr Henry Received: 03/03/2016 @ 09:34
Radon Level : 0.4 pCi/L Analyzed: 03/04/2016 @ 11:17
Error for Measurement is: \pm 0.6 pCi/L

Canister ID# : 2402300 Test Start : 02/23/2016 @ 10:02
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:03
Location : Prac Rm 4 Received: 03/03/2016 @ 09:34
Radon Level : 0.5 pCi/L Analyzed: 03/04/2016 @ 13:33
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2402350 Test Start : 02/23/2016 @ 10:28
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:20
Location : NW1 Received: 03/03/2016 @ 09:34
Radon Level : 0.4 pCi/L Analyzed: 03/04/2016 @ 13:33
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2402358 Test Start : 02/23/2016 @ 10:20
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:17
Location : NW6 Received: 03/03/2016 @ 09:34
Radon Level : 0.3 pCi/L Analyzed: 03/04/2016 @ 12:55
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2402362 Test Start : 02/23/2016 @ 09:44
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 11:25
Location : Main Conference Received: 03/03/2016 @ 09:34
Radon Level : 0.2 pCi/L Analyzed: 03/04/2016 @ 12:06
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2402364 Test Start : 02/23/2016 @ 10:01
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:02
Location : Prac Rm 2 Received: 03/03/2016 @ 09:34
Radon Level : 0.2 pCi/L Analyzed: 03/04/2016 @ 11:01
Error for Measurement is: \pm 0.5 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2402367 Test Start : 02/23/2016 @ 10:14
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:10
Location : W5 Received: 03/03/2016 @ 09:34
Radon Level : 0.5 pCi/L Analyzed: 03/04/2016 @ 13:12
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2402373 Test Start : 02/23/2016 @ 10:21
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:18
Location : NW5 Received: 03/03/2016 @ 09:34
Radon Level : 0.2 pCi/L Analyzed: 03/04/2016 @ 12:24
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2402374 Test Start : 02/23/2016 @ 09:45
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 11:27
Location : N101 Office Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 11:17
Error for Measurement is: \pm 0.3 pCi/L

Canister ID# : 2402383 Test Start : 02/23/2016 @ 10:17
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:12
Location : W7 Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 12:24
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2402384 Test Start : 02/23/2016 @ 10:05
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:04
Location : Aud Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 13:49
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2402386 Test Start : 02/23/2016 @ 09:59
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:00
Location : Band Rm Received: 03/03/2016 @ 09:34
Radon Level : 0.4 pCi/L Analyzed: 03/04/2016 @ 11:17
Error for Measurement is: \pm 0.4 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2402387 Test Start : 02/23/2016 @ 10:19
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:15
Location : NW2 Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 11:01
Error for Measurement is: \pm 0.1 pCi/L

Canister ID# : 2402395 Test Start : 02/23/2016 @ 10:29
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:21
Location : W11 Off 1 Received: 03/03/2016 @ 09:34
Radon Level : 0.8 pCi/L Analyzed: 03/04/2016 @ 11:50
Error for Measurement is: \pm 0.6 pCi/L

Canister ID# : 2402402 Test Start : 02/23/2016 @ 09:59
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:00
Location : Band Rm Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 12:24
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2402403 Test Start : 02/23/2016 @ 10:29
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:21
Location : W11 Off 2 Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 12:24
Error for Measurement is: \pm 0.8 pCi/L

Canister ID# : 2402405 Test Start : 02/23/2016 @ 10:05
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:04
Location : Aud Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 12:06
Error for Measurement is: \pm 0.2 pCi/L

Canister ID# : 2402406 Test Start : 02/23/2016 @ 10:28
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:20
Location : NW1 Received: 03/03/2016 @ 09:34
Radon Level : 0.7 pCi/L Analyzed: 03/04/2016 @ 12:24
Error for Measurement is: \pm 0.4 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2402412 Test Start : 02/23/2016 @ 10:18
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:13
Location : W9 Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 11:01
Error for Measurement is: \pm 0.2 pCi/L

Canister ID# : 2402423 Test Start : 02/23/2016 @ 10:06
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:05
Location : Music Store Rm Received: 03/03/2016 @ 09:34
Radon Level : 0.4 pCi/L Analyzed: 03/04/2016 @ 11:17
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2402753 Test Start : 02/23/2016 @ 09:43
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 11:24
Location : Main Office Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 11:32
Error for Measurement is: \pm 0.3 pCi/L

Canister ID# : 2402754 Test Start : 02/23/2016 @ 10:22
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:18
Location : NW5 Back Rm Received: 03/03/2016 @ 09:34
Radon Level : 0.5 pCi/L Analyzed: 03/04/2016 @ 14:30
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2402755 Test Start : 02/23/2016 @ 10:13
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:09
Location : W3 Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 13:33
Error for Measurement is: \pm 0.8 pCi/L

Canister ID# : 2402758 Test Start : 02/23/2016 @ 09:43
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 11:24
Location : Main Office Coffee Rm Received: 03/03/2016 @ 09:34
Radon Level : 0.4 pCi/L Analyzed: 03/04/2016 @ 12:40
Error for Measurement is: \pm 0.5 pCi/L



Andreas C. George

Dante Galan

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2402760 Test Start : 02/23/2016 @ 10:01
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:02
Location : Prac Rm 1 Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 11:32
Error for Measurement is: \pm 0.3 pCi/L

Canister ID# : 2402763 Test Start : 02/23/2016 @ 09:59
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:00
Location : N5 Received: 03/03/2016 @ 09:34
Radon Level : 0.4 pCi/L Analyzed: 03/04/2016 @ 12:40
Error for Measurement is: \pm 0.6 pCi/L

Canister ID# : 2402768 Test Start : 02/23/2016 @ 10:12
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:08
Location : W2 Front Received: 03/03/2016 @ 09:34
Radon Level : 0.2 pCi/L Analyzed: 03/04/2016 @ 11:17
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2402771 Test Start : 02/23/2016 @ 10:02
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:03
Location : Prac Rm 3 Received: 03/03/2016 @ 09:34
Radon Level : 0.7 pCi/L Analyzed: 03/04/2016 @ 13:49
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2402772 Test Start : 02/23/2016 @ 09:45
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 11:27
Location : N101 Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 12:06
Error for Measurement is: \pm 0.9 pCi/L

Canister ID# : 2402777 Test Start : 02/23/2016 @ 10:00
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:01
Location : N3 Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 12:40
Error for Measurement is: \pm 0.4 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2402779 Test Start : 02/23/2016 @ 10:31
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:22
Location : Goal Office Received: 03/03/2016 @ 09:34
Radon Level : 0.5 pCi/L Analyzed: 03/04/2016 @ 11:32
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2402784 Test Start : 02/23/2016 @ 10:13
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:09
Location : W4 Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 11:17
Error for Measurement is: \pm 0.3 pCi/L

Canister ID# : 2402791 Test Start : 02/23/2016 @ 09:45
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 11:26
Location : N100 Received: 03/03/2016 @ 09:34
Radon Level : 0.4 pCi/L Analyzed: 03/04/2016 @ 11:17
Error for Measurement is: \pm 0.6 pCi/L

Canister ID# : 2402804 Test Start : 02/23/2016 @ 09:43
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 11:25
Location : Prin Office Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 11:32
Error for Measurement is: \pm 0.3 pCi/L

Canister ID# : 2403308 Test Start : 02/23/2016 @ 09:46
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 11:28
Location : N4 Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 12:06
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2403677 Test Start : 02/23/2016 @ 14:38
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 15:07
Location : 2nd Fl W207 Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 12:06
Error for Measurement is: \pm 0.1 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2403679 Test Start : 02/23/2016 @ 14:39
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 15:08
Location : Blank Received: 03/03/2016 @ 09:36
Radon Level : 0.1 pCi/L Analyzed: 03/03/2016 @ 17:34
Error for Measurement is: ± 0.7 pCi/L

Canister ID# : 2403686 Test Start : 02/23/2016 @ 14:39
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 15:08
Location : Received: 03/03/2016 @ 09:35
Radon Level : 1.0 pCi/L Analyzed: 03/03/2016 @ 14:08
Error for Measurement is: ± 0.6 pCi/L

Canister ID# : 2403690 Test Start : 02/23/2016 @ 14:39
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 15:08
Location : Blank Received: 03/03/2016 @ 09:36
Radon Level : 0.2 pCi/L Analyzed: 03/04/2016 @ 13:33
Error for Measurement is: ± 0.5 pCi/L

Canister ID# : 2403692 Test Start : 02/23/2016 @ 14:24
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:52
Location : 2nd Fl E225 Received: 03/03/2016 @ 09:35
Radon Level : 0.6 pCi/L Analyzed: 03/04/2016 @ 12:55
Error for Measurement is: ± 0.7 pCi/L

Canister ID# : 2403696 Test Start : 02/23/2016 @ 10:08
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:07
Location : Costume Rm near N17 Received: 03/03/2016 @ 09:34
Radon Level : 0.6 pCi/L Analyzed: 03/04/2016 @ 12:24
Error for Measurement is: ± 0.6 pCi/L

Canister ID# : 2403701 Test Start : 02/23/2016 @ 14:18
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:50
Location : 2nd Fl E216 Received: 03/03/2016 @ 09:35
Radon Level : 0.4 pCi/L Analyzed: 03/04/2016 @ 11:50
Error for Measurement is: ± 0.5 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2403704 Test Start : 02/23/2016 @ 14:37
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 15:07
Location : 2nd FI W210 Received: 03/03/2016 @ 09:35
Radon Level : 0.5 pCi/L Analyzed: 03/04/2016 @ 11:17
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2403733 Test Start : 02/23/2016 @ 14:39
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 15:08
Location : Blank Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/03/2016 @ 17:34
Error for Measurement is: \pm 0.3 pCi/L

Canister ID# : 2403736 Test Start : 02/23/2016 @ 10:33
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:23
Location : W14 Received: 03/03/2016 @ 09:34
Radon Level : 0.6 pCi/L Analyzed: 03/04/2016 @ 12:40
Error for Measurement is: \pm 0.6 pCi/L

Canister ID# : 2403743 Test Start : 02/23/2016 @ 10:07
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:06
Location : N1 Received: 03/03/2016 @ 09:34
Radon Level : 0.5 pCi/L Analyzed: 03/04/2016 @ 14:48
Error for Measurement is: \pm 0.6 pCi/L

Canister ID# : 2403744 Test Start : 02/23/2016 @ 14:35
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 15:05
Location : 2nd FI W217 Received: 03/03/2016 @ 09:35
Radon Level : 0.4 pCi/L Analyzed: 03/04/2016 @ 12:40
Error for Measurement is: \pm 0.6 pCi/L

Canister ID# : 2403757 Test Start : 02/23/2016 @ 14:30
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 15:00
Location : 2nd FI E227 Received: 03/03/2016 @ 09:35
Radon Level : 0.7 pCi/L Analyzed: 03/04/2016 @ 13:33
Error for Measurement is: \pm 0.6 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2403758 Test Start : 02/23/2016 @ 14:39
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 15:08
Location : Received: 03/03/2016 @ 09:35
Radon Level : 0.5 pCi/L Analyzed: 03/03/2016 @ 14:08
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2403764 Test Start : 02/23/2016 @ 14:31
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 15:00
Location : 2nd FI E229 Received: 03/03/2016 @ 09:35
Radon Level : 0.3 pCi/L Analyzed: 03/04/2016 @ 12:55
Error for Measurement is: \pm 0.6 pCi/L

Canister ID# : 2403768 Test Start : 02/23/2016 @ 14:22
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:51
Location : 2nd FI E221 Received: 03/03/2016 @ 09:35
Radon Level : 0.9 pCi/L Analyzed: 03/04/2016 @ 12:06
Error for Measurement is: \pm 0.6 pCi/L

Canister ID# : 2403770 Test Start : 02/23/2016 @ 14:35
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 15:06
Location : 2nd FI W214 Received: 03/03/2016 @ 09:35
Radon Level : 0.4 pCi/L Analyzed: 03/04/2016 @ 12:06
Error for Measurement is: \pm 0.6 pCi/L

Canister ID# : 2403775 Test Start : 02/23/2016 @ 14:39
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 15:08
Location : Blank Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/03/2016 @ 17:34
Error for Measurement is: \pm 0.3 pCi/L

Canister ID# : 2403778 Test Start : 02/23/2016 @ 14:20
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:51
Location : 2nd FI E220 Received: 03/03/2016 @ 09:35
Radon Level : 0.3 pCi/L Analyzed: 03/04/2016 @ 12:06
Error for Measurement is: \pm 0.6 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2403784 Test Start : 02/23/2016 @ 10:16
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:11
Location : W6 Received: 03/03/2016 @ 09:34
Radon Level : 0.5 pCi/L Analyzed: 03/04/2016 @ 11:50
Error for Measurement is: \pm 0.6 pCi/L

Canister ID# : 2403802 Test Start : 02/23/2016 @ 14:16
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:49
Location : 2nd Fl E209 Received: 03/03/2016 @ 09:35
Radon Level : 0.6 pCi/L Analyzed: 03/04/2016 @ 11:50
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2403803 Test Start : 02/23/2016 @ 14:39
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 15:08
Location : Received: 03/03/2016 @ 09:36
Radon Level : 0.4 pCi/L Analyzed: 03/03/2016 @ 17:34
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2403808 Test Start : 02/23/2016 @ 14:32
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 15:04
Location : 2nd Fl W224 Received: 03/03/2016 @ 09:35
Radon Level : 0.2 pCi/L Analyzed: 03/04/2016 @ 12:06
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2403810 Test Start : 02/23/2016 @ 14:24
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:52
Location : 2nd Fl E225 Received: 03/03/2016 @ 09:35
Radon Level : 0.5 pCi/L Analyzed: 03/04/2016 @ 12:40
Error for Measurement is: \pm 0.6 pCi/L

Canister ID# : 2403813 Test Start : 02/23/2016 @ 10:08
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:08
Location : N17 Received: 03/03/2016 @ 09:34
Radon Level : 0.3 pCi/L Analyzed: 03/04/2016 @ 11:01
Error for Measurement is: \pm 0.8 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2404099 Test Start : 02/23/2016 @ 12:38
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:40
Location : E8 Received: 03/03/2016 @ 09:35
Radon Level : 0.5 pCi/L Analyzed: 03/04/2016 @ 13:49
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2404100 Test Start : 02/23/2016 @ 10:35
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:26
Location : W-17 Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 11:50
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2404102 Test Start : 02/23/2016 @ 11:02
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:40
Location : W-29 Office Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 14:30
Error for Measurement is: \pm 0.8 pCi/L

Canister ID# : 2404106 Test Start : 02/23/2016 @ 11:00
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:39
Location : Grow Rm4 Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 11:32
Error for Measurement is: \pm 0.8 pCi/L

Canister ID# : 2404107 Test Start : 02/23/2016 @ 10:56
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:36
Location : W-25 Received: 03/03/2016 @ 09:34
Radon Level : 0.6 pCi/L Analyzed: 03/04/2016 @ 14:30
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2404110 Test Start : 02/23/2016 @ 14:01
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:40
Location : Gym Received: 03/03/2016 @ 09:35
Radon Level : 0.2 pCi/L Analyzed: 03/04/2016 @ 11:51
Error for Measurement is: \pm 0.6 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2404112 Test Start : 02/23/2016 @ 10:36
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:27
Location : W-18 Received: 03/03/2016 @ 09:34
Radon Level : 0.2 pCi/L Analyzed: 03/04/2016 @ 12:24
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2404113 Test Start : 02/23/2016 @ 13:31
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:05
Location : Cafeteria Received: 03/03/2016 @ 09:35
Radon Level : 0.4 pCi/L Analyzed: 03/04/2016 @ 11:50
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2404119 Test Start : 02/23/2016 @ 11:27
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:48
Location : Conf Rm nxt Camps Received: 03/03/2016 @ 09:35
Radon Level : 0.2 pCi/L Analyzed: 03/04/2016 @ 12:24
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2404123 Test Start : 02/23/2016 @ 11:03
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:40
Location : W-28 Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 13:33
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2404130 Test Start : 02/23/2016 @ 11:26
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:48
Location : Registrar Camps Received: 03/03/2016 @ 09:35
Radon Level : 0.5 pCi/L Analyzed: 03/04/2016 @ 11:01
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2404133 Test Start : 02/23/2016 @ 14:08
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:41
Location : Rockwall Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 12:55
Error for Measurement is: \pm 0.5 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2404134 Test Start : 02/23/2016 @ 11:08
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:44
Location : Counseling Ctr Icone Received: 03/03/2016 @ 09:34
Radon Level : 0.5 pCi/L Analyzed: 03/04/2016 @ 14:11
Error for Measurement is: ± 0.5 pCi/L

Canister ID# : 2404136 Test Start : 02/23/2016 @ 12:42
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:42
Location : E12 Received: 03/03/2016 @ 09:35
Radon Level : 0.4 pCi/L Analyzed: 03/04/2016 @ 11:32
Error for Measurement is: ± 0.6 pCi/L

Canister ID# : 2404145 Test Start : 02/23/2016 @ 10:34
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:25
Location : W-16 Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 12:24
Error for Measurement is: ± 0.5 pCi/L

Canister ID# : 2404153 Test Start : 02/23/2016 @ 11:00
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:38
Location : Grow Rm3 Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 14:48
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2404156 Test Start : 02/23/2016 @ 11:06
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:43
Location : Counseling Ctr Erick Received: 03/03/2016 @ 09:34
Radon Level : 0.2 pCi/L Analyzed: 03/04/2016 @ 11:01
Error for Measurement is: ± 0.3 pCi/L

Canister ID# : 2404157 Test Start : 02/23/2016 @ 10:36
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:28
Location : W-18-19 Store Rm Received: 03/03/2016 @ 09:34
Radon Level : 0.6 pCi/L Analyzed: 03/04/2016 @ 13:12
Error for Measurement is: ± 0.5 pCi/L



Andreas C. George

Dante Galan

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2404160 Test Start : 02/23/2016 @ 10:55
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:35
Location : W-23 Received: 03/03/2016 @ 09:34
Radon Level : 0.2 pCi/L Analyzed: 03/04/2016 @ 11:32
Error for Measurement is: ± 0.6 pCi/L

Canister ID# : 2404163 Test Start : 02/23/2016 @ 13:48
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:05
Location : S12 Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 11:50
Error for Measurement is: ± 0.2 pCi/L

Canister ID# : 2404164 Test Start : 02/23/2016 @ 13:19
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:59
Location : Store Rm Received: 03/03/2016 @ 09:35
Radon Level : 0.2 pCi/L Analyzed: 03/04/2016 @ 14:11
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2404165 Test Start : 02/23/2016 @ 10:36
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:28
Location : W-19 Received: 03/03/2016 @ 09:34
Radon Level : 0.5 pCi/L Analyzed: 03/04/2016 @ 11:32
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2404168 Test Start : 02/23/2016 @ 12:28
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:34
Location : N13 Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 11:01
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2404172 Test Start : 02/23/2016 @ 11:04
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:41
Location : Lunch Rm Received: 03/03/2016 @ 09:34
Radon Level : 0.6 pCi/L Analyzed: 03/04/2016 @ 13:33
Error for Measurement is: ± 0.5 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2404174 Test Start : 02/23/2016 @ 13:20
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:59
Location : Store Rm Received: 03/03/2016 @ 09:35
Radon Level : 0.2 pCi/L Analyzed: 03/04/2016 @ 14:11
Error for Measurement is: ± 0.5 pCi/L

Canister ID# : 2404180 Test Start : 02/23/2016 @ 12:47
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:45
Location : E18 Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 13:12
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2404181 Test Start : 02/23/2016 @ 12:48
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:45
Location : E19 Received: 03/03/2016 @ 09:35
Radon Level : 0.7 pCi/L Analyzed: 03/04/2016 @ 11:17
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2404184 Test Start : 02/23/2016 @ 13:23
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:02
Location : E35 Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 11:17
Error for Measurement is: ± 0.5 pCi/L

Canister ID# : 2404186 Test Start : 02/23/2016 @ 12:28
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:34
Location : N12 Received: 03/03/2016 @ 09:35
Radon Level : 0.4 pCi/L Analyzed: 03/04/2016 @ 14:48
Error for Measurement is: ± 0.5 pCi/L

Canister ID# : 2404187 Test Start : 02/23/2016 @ 14:00
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:40
Location : Gym Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 13:49
Error for Measurement is: ± 0.5 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2404189 Test Start : 02/23/2016 @ 10:46
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:32
Location : SW2 Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 13:12
Error for Measurement is: ± 0.3 pCi/L

Canister ID# : 2404190 Test Start : 02/23/2016 @ 10:59
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:38
Location : Grow Rm1 Received: 03/03/2016 @ 09:34
Radon Level : 0.4 pCi/L Analyzed: 03/04/2016 @ 14:30
Error for Measurement is: ± 0.6 pCi/L

Canister ID# : 2404192 Test Start : 02/23/2016 @ 12:56
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:49
Location : E24 Received: 03/03/2016 @ 09:35
Radon Level : 0.6 pCi/L Analyzed: 03/04/2016 @ 14:11
Error for Measurement is: ± 0.5 pCi/L

Canister ID# : 2404196 Test Start : 02/23/2016 @ 10:44
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:30
Location : SW5 Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 13:12
Error for Measurement is: ± 0.9 pCi/L

Canister ID# : 2404200 Test Start : 02/23/2016 @ 10:29
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:21
Location : W11 Received: 03/03/2016 @ 09:34
Radon Level : 0.3 pCi/L Analyzed: 03/04/2016 @ 14:30
Error for Measurement is: ± 0.5 pCi/L

Canister ID# : 2404201 Test Start : 02/23/2016 @ 12:57
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:51
Location : E26 Received: 03/03/2016 @ 09:35
Radon Level : 0.3 pCi/L Analyzed: 03/04/2016 @ 14:11
Error for Measurement is: ± 0.5 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2404205 Test Start : 02/23/2016 @ 14:05
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:46
Location : Nurse Office Received: 03/03/2016 @ 09:35
Radon Level : 0.4 pCi/L Analyzed: 03/04/2016 @ 11:32
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2404206 Test Start : 02/23/2016 @ 12:43
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:42
Location : E12 Received: 03/03/2016 @ 09:35
Radon Level : 0.4 pCi/L Analyzed: 03/04/2016 @ 12:24
Error for Measurement is: ± 0.5 pCi/L

Canister ID# : 2404214 Test Start : 02/23/2016 @ 11:22
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:45
Location : AVTV Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 11:01
Error for Measurement is: ± 0.7 pCi/L

Canister ID# : 2404215 Test Start : 02/23/2016 @ 11:09
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:44
Location : CC Office Received: 03/03/2016 @ 09:34
Radon Level : 0.5 pCi/L Analyzed: 03/04/2016 @ 14:11
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2404218 Test Start : 02/23/2016 @ 13:20
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:00
Location : E33 Received: 03/03/2016 @ 09:35
Radon Level : 0.3 pCi/L Analyzed: 03/04/2016 @ 14:48
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2404219 Test Start : 02/23/2016 @ 12:58
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:52
Location : E25 Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 13:49
Error for Measurement is: ± 0.2 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2404220 Test Start : 02/23/2016 @ 13:27
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:05
Location : Stacy's Off Kitch Received: 03/03/2016 @ 09:35
Radon Level : 0.6 pCi/L Analyzed: 03/04/2016 @ 12:06
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2404227 Test Start : 02/23/2016 @ 12:31
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:35
Location : N16 Received: 03/03/2016 @ 09:35
Radon Level : 1.0 pCi/L Analyzed: 03/04/2016 @ 11:01
Error for Measurement is: ± 0.5 pCi/L

Canister ID# : 2404228 Test Start : 02/23/2016 @ 10:46
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:32
Location : SW2 Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 13:12
Error for Measurement is: ± 0.3 pCi/L

Canister ID# : 2404238 Test Start : 02/23/2016 @ 12:40
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:40
Location : E9 Received: 03/03/2016 @ 09:35
Radon Level : 0.2 pCi/L Analyzed: 03/04/2016 @ 13:33
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2404250 Test Start : 02/23/2016 @ 11:01
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:39
Location : Grow Rm5 Received: 03/03/2016 @ 09:34
Radon Level : 0.5 pCi/L Analyzed: 03/04/2016 @ 13:12
Error for Measurement is: ± 0.5 pCi/L

Canister ID# : 2404254 Test Start : 02/23/2016 @ 14:07
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:47
Location : Alt. Mix By Received: 03/03/2016 @ 09:35
Radon Level : 0.5 pCi/L Analyzed: 03/04/2016 @ 11:17
Error for Measurement is: ± 0.5 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2404267 Test Start : 02/23/2016 @ 13:21
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:00
Location : E33 Back Rm Received: 03/03/2016 @ 09:35
Radon Level : 0.2 pCi/L Analyzed: 03/04/2016 @ 13:12
Error for Measurement is: ± 0.5 pCi/L

Canister ID# : 2404271 Test Start : 02/23/2016 @ 12:30
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:35
Location : N15 Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 11:50
Error for Measurement is: ± 1.0 pCi/L

Canister ID# : 2404282 Test Start : 02/23/2016 @ 10:59
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:38
Location : Grow Rm2 Received: 03/03/2016 @ 09:34
Radon Level : 0.3 pCi/L Analyzed: 03/04/2016 @ 13:12
Error for Measurement is: ± 0.5 pCi/L

Canister ID# : 2404284 Test Start : 02/23/2016 @ 11:05
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:42
Location : Counseling Ctr Rm2 Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 12:24
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2404285 Test Start : 02/23/2016 @ 12:33
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:36
Location : E3 Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 14:47
Error for Measurement is: ± 0.4 pCi/L

Canister ID# : 2404286 Test Start : 02/23/2016 @ 12:53
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:47
Location : E20 Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 14:11
Error for Measurement is: ± 0.5 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2404296 Test Start : 02/23/2016 @ 11:02
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:40
Location : Safe VP Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 14:11
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2404297 Test Start : 02/23/2016 @ 11:01
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:39
Location : Grow Rm5 Received: 03/03/2016 @ 09:34
Radon Level : 0.6 pCi/L Analyzed: 03/04/2016 @ 13:33
Error for Measurement is: \pm 0.6 pCi/L

Canister ID# : 2404304 Test Start : 02/23/2016 @ 13:22
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:01
Location : E34 Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 14:11
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2404305 Test Start : 02/23/2016 @ 11:07
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:43
Location : Counseling Ctr Barilla Received: 03/03/2016 @ 09:34
Radon Level : 0.5 pCi/L Analyzed: 03/04/2016 @ 12:24
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2404306 Test Start : 02/23/2016 @ 12:32
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:35
Location : N16 Supply Rm Received: 03/03/2016 @ 09:35
Radon Level : 0.4 pCi/L Analyzed: 03/04/2016 @ 11:17
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2404308 Test Start : 02/23/2016 @ 13:57
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:06
Location : Receiving Off Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 11:17
Error for Measurement is: \pm 0.3 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2404310 Test Start : 02/23/2016 @ 12:46
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:44
Location : E16 Received: 03/03/2016 @ 09:35
Radon Level : 0.3 pCi/L Analyzed: 03/04/2016 @ 14:48
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2404316 Test Start : 02/23/2016 @ 10:58
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:37
Location : Mr Grow Main Office Received: 03/03/2016 @ 09:34
Radon Level : 0.4 pCi/L Analyzed: 03/04/2016 @ 14:30
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2404317 Test Start : 02/23/2016 @ 10:56
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:35
Location : W-24 Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 13:33
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2404318 Test Start : 02/23/2016 @ 10:55
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:34
Location : W-22 Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 13:33
Error for Measurement is: \pm 0.8 pCi/L

Canister ID# : 2404321 Test Start : 02/23/2016 @ 10:37
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:29
Location : SW1 Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 11:01
Error for Measurement is: \pm 0.3 pCi/L

Canister ID# : 2404322 Test Start : 02/23/2016 @ 10:45
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:31
Location : SW6 Received: 03/03/2016 @ 09:34
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 12:55
Error for Measurement is: \pm 0.2 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2404328 Test Start : 02/23/2016 @ 13:59
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:39
Location : Boys Locker Off Received: 03/03/2016 @ 09:35
Radon Level : 0.5 pCi/L Analyzed: 03/04/2016 @ 11:32
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2404336 Test Start : 02/23/2016 @ 12:34
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:37
Location : Computer Tech Received: 03/03/2016 @ 09:35
Radon Level : 0.5 pCi/L Analyzed: 03/04/2016 @ 14:30
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2404351 Test Start : 02/23/2016 @ 12:36
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:39
Location : E7 Received: 03/03/2016 @ 09:35
Radon Level : 0.5 pCi/L Analyzed: 03/04/2016 @ 14:30
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2404363 Test Start : 02/23/2016 @ 12:35
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:38
Location : E5 Received: 03/03/2016 @ 09:35
Radon Level : 0.6 pCi/L Analyzed: 03/04/2016 @ 14:30
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2404367 Test Start : 02/23/2016 @ 14:10
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:48
Location : 2nd Fl B4 Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 12:06
Error for Measurement is: \pm 0.2 pCi/L

Canister ID# : 2404371 Test Start : 02/23/2016 @ 12:56
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:48
Location : E23 Received: 03/03/2016 @ 09:35
Radon Level : 0.2 pCi/L Analyzed: 03/04/2016 @ 13:49
Error for Measurement is: \pm 0.4 pCi/L



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2404379 Test Start : 02/23/2016 @ 12:43
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 13:43
Location : E14 Received: 03/03/2016 @ 09:35
Radon Level : 0.3 pCi/L Analyzed: 03/04/2016 @ 13:12
Error for Measurement is: \pm 0.5 pCi/L

Canister ID# : 2404382 Test Start : 02/23/2016 @ 10:16
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 12:11
Location : W8 Received: 03/03/2016 @ 09:34
Radon Level : 0.2 pCi/L Analyzed: 03/04/2016 @ 12:06
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2404383 Test Start : 02/23/2016 @ 14:08
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:41
Location : Weight Rm Received: 03/03/2016 @ 09:35
Radon Level : 0.4 pCi/L Analyzed: 03/04/2016 @ 11:50
Error for Measurement is: \pm 0.4 pCi/L

Canister ID# : 2404394 Test Start : 02/23/2016 @ 14:15
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:49
Location : 2nd Fl E204 Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 12:24
Error for Measurement is: \pm 0.3 pCi/L

Canister ID# : 2404398 Test Start : 02/23/2016 @ 13:58
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:07
Location : S10 Front Received: 03/03/2016 @ 09:35
Radon Level : 0.2 pCi/L Analyzed: 03/04/2016 @ 12:40
Error for Measurement is: \pm 0.3 pCi/L

Canister ID# : 2404399 Test Start : 02/23/2016 @ 14:06
Canister Type : Charcoal Canister 3 inch Test Stop : 02/26/2016 @ 14:46
Location : Master Nurse Off Received: 03/03/2016 @ 09:35
Radon Level : 0.1 pCi/L Analyzed: 03/04/2016 @ 11:17
Error for Measurement is: \pm 0.5 pCi/L



Andreas C. George

Dante Galan

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# : 2404407
Canister Type : Charcoal Canister 3 inch
Location : S13
Radon Level : 0.2 pCi/L
Error for Measurement is: \pm 0.5 pCi/L
Test Start : 02/23/2016 @ 13:46
Test Stop : 02/26/2016 @ 14:05
Received: 03/03/2016 @ 09:35
Analyzed: 03/04/2016 @ 14:11

Canister ID# : 2404410
Canister Type : Charcoal Canister 3 inch
Location : S12 Auto
Radon Level : 0.2 pCi/L
Error for Measurement is: \pm 0.4 pCi/L
Test Start : 02/23/2016 @ 13:48
Test Stop : 02/26/2016 @ 14:06
Received: 03/03/2016 @ 09:35
Analyzed: 03/04/2016 @ 12:40

Canister ID# : 2404411
Canister Type : Charcoal Canister 3 inch
Location : Gym
Radon Level : 0.1 pCi/L
Error for Measurement is: \pm 0.1 pCi/L
Test Start : 02/23/2016 @ 14:01
Test Stop : 02/26/2016 @ 14:40
Received: 03/03/2016 @ 09:35
Analyzed: 03/04/2016 @ 11:50

Canister ID# : 2404418
Canister Type : Charcoal Canister 3 inch
Location : Counseling Ctr Lenzi
Radon Level : 0.1 pCi/L
Error for Measurement is: \pm 0.2 pCi/L
Test Start : 02/23/2016 @ 11:07
Test Stop : 02/26/2016 @ 12:44
Received: 03/03/2016 @ 09:34
Analyzed: 03/04/2016 @ 13:49

Canister ID# : 2404419
Canister Type : Charcoal Canister 3 inch
Location : E20
Radon Level : 0.1 pCi/L
Error for Measurement is: \pm 0.4 pCi/L
Test Start : 02/23/2016 @ 12:53
Test Stop : 02/26/2016 @ 13:47
Received: 03/03/2016 @ 09:35
Analyzed: 03/04/2016 @ 12:40

Canister ID# : 2404423
Canister Type : Charcoal Canister 3 inch
Location : Boces
Radon Level : 0.2 pCi/L
Error for Measurement is: \pm 0.5 pCi/L
Test Start : 02/23/2016 @ 13:18
Test Stop : 02/26/2016 @ 13:57
Received: 03/03/2016 @ 09:35
Analyzed: 03/04/2016 @ 14:30



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201

Site Radon Inspection Report

Date : 03/03/2016

Ms. Blaine Cunningham
Webster Central School District
119 South Avenue
Webster, NY 14580-

Client: Schroeder High School
Test Location: 815 Ridge Road
Webster, NY 14580-

Individual Canister Results

Canister ID# :	2404427	Test Start :	02/23/2016 @ 11:23
Canister Type :	Charcoal Canister 3 inch	Test Stop :	02/26/2016 @ 12:46
Location :	AVTV Office	Received:	03/03/2016 @ 09:34
Radon Level :	0.1 pCi/L	Analyzed:	03/04/2016 @ 11:50
Error for Measurement is: ±	0.3 pCi/L		

Canister ID# :	2404434	Test Start :	02/23/2016 @ 12:45
Canister Type :	Charcoal Canister 3 inch	Test Stop :	02/26/2016 @ 13:43
Location :	E17	Received:	03/03/2016 @ 09:35
Radon Level :	0.3 pCi/L	Analyzed:	03/04/2016 @ 13:12
Error for Measurement is: ±	0.5 pCi/L		

The reported results indicate that radon levels in the building tested are below the United States Environmental Protection Agency (EPA) action level of 4.0 picoCuries per liter of air (pCi/L). The EPA recommends retesting if your living patterns change and you begin occupying a lower level of the building, such as a basement or if major remodeling is done.

General radon information may be obtained by consulting the EPA booklet: A Citizen's Guide to Radon (www.epa.gov/radon/pubs/citguide.html). To request a copy or for further information, please contact your state health department. The EPA maintains a radon information website, including copies of its publications, at www.epa.gov/iaq/radon.

For New Jersey clients: Please see the attached guidance document entitled Radon Testing and Mitigation: The Basics for further information.

For New York clients: If the radon level of one or more testing devices is equal to or exceeds 20 pCi/L please contact the New York State Department of Health, Bureau of Environmental Radiation Protection, for technical advice and assistance at 518-402-7556 or toll free 1-800-458-1158.

PLEDGE OF ASSURED QUALITY

All procedures used for generating this report are in complete accordance with the current EPA protocols for the analysis of radon in air (EPA 402-R-92-004). The analytical results relate only to the samples tested, in the condition received by the lab, and that calculations were based upon the information supplied by client. RTCA and its personnel do not assume responsibility or liability, collectively and individually, for analysis results when detectors have been improperly handled or placed by the consumer, nor does RTCA and its personnel accept responsibility for any financial or health consequences of subsequent action or lack of action, taken by the customer or its consultants based on RTCA-provided results.



Andreas C. George

Andreas C. George
Radon Measurement Specialist
NJ MES 11089

Dante Galan

Dante Galan
Laboratory Director

NRSB ARL0001
NYS ELAP ID: 10806
PADEP ID: 0346
NJDEP ID: NY933
NJ MEB 90036
FL DOH RB1609
IL RNL2000201